



iLifestyle

Embrace the
Future of Heating



atc[®]
Smart

Introducing iLifestyle

The award-winning Lifestyle radiator is now a Wi-Fi connected radiator!

- Smart controllability
- Digital connected heating solution
- Subtle design for any room
- Provides efficiency and comfort
- Maintenance free



Controllability whenever wherever



 works with the
Google Assistant

 amazon alexa

 **Wi Fi** 2.4 GHz Wireless
Communications

 iLifestyle

Quality Design

Filled with thermal emission oil and containing an electric element, ensuring quick heat up time and even temperature.

Manufactured with aluminium fins to ensure effective heat transmission through a combination of radiant and convectional heat transfer.

LCD TFT screen and touch controls

The iLifestyle boasts a large, easy to read LCD TFT display screen and touch sensitive controls for clarity and ease of use.



Three operating modes to choose from:

- Eco
- Comfort
- Frost

Temperature Control Technology

Use less energy & save money


Our advanced **PID Intelligent Control** technology ensures that the ATC iLifestyle is energy efficient, with accuracy to 0.2 °C.

Conserve energy

Thanks to its **Open Window Technology** the iLifestyle can automatically detect a fall in temperature caused by open windows, and suspends any programmed heating to prevent wasting energy.

Wake up to a warm room

Using the **Adaptive Start Feature**, you can program the iLifestyle to turn on and heat certain rooms at certain times, to suit your schedule. Simply program your desired temperature, and the iLifestyle will calculate the required time needed to reach that temperature.



Airflow



Product and Technical Details

Product Features

- Smart controllability via app
- Simple to program and operate
- Easy to read TFT LCD screen
- 3 operating modes: Eco, Comfort, Frost (CR2032) Battery Backup for program and time
- Improved Energy Efficiency: Adaptive Start Feature – Open Window Technology – PID Intelligent Control accurate to 0.2°C
- Universal wall brackets for quick installation – locks bottom of radiator
- Elements joined by unique patented silicon joints for longer life
- Filled with high quality thermal emission oil – quick heat up time

Approvals

- Complies: EN 60335-1, EN 60335-2-30



Warranty



2
YEAR WARRANTY
ELECTRONICS



10
YEAR WARRANTY
ALUMINIUM

Sustainable Packaging



Technical Details

ATC iLifestyle Electric Thermal Radiator

Product Code	WLS500	WLS750	WLS1000	WLS1200	WLS1500	WLS1800
Number of Fins	3	5	6	7	9	11
Power W	500	750	1000	1200	1500	1800
Insulation Class	Class 1					
IP Protection	IP24	IP24	IP24	IP24	IP24	IP24
Voltage (AC)	230	230	230	230	230	230
Dimensions (H x W x D) mm	581 x 396 x 98	581 x 556 x 98	581 x 636 x 98	581 x 716 x 98	581 x 876 x 98	581 x 1036 x 98
Approvals	CE UKCA					
Weight (kg)	6.4	9.2	10.7	12	14.8	17.7

RAL Colour: RAL9010

Where does the iLifestyle thrive?



Home Refurbishments



Air BnBs



Offices



Student Accommodation

Stylish and subtle design for any room



Kitchen



Living Room



Offices



Dining Room

iLifestyle radiator sizing guide

Floor Area in M ² *	Poor Insulation	Normal Insulation	Excellent Insulation	Floor Area in Square Ft*
Up to 3M ²	540W	300W	240W	Up to 32Sq Ft
Up to 6M ²	1080W	600W	480W	Up to 65Sq Ft
Up to 9M ²	1620W	900W	720W	Up to 97Sq Ft
Up to 12M ²	2160W	1200W	960W	Up to 129Sq Ft
Up to 15M ²	2700W	1500W	1200W	Up to 161Sq Ft
Up to 18M ²	3240W	1800W	1440W	Up to 194Sq Ft
Up to 21M ²	3780W	2100W	1680W	Up to 226Sq Ft
Up to 24M ²	4320W	2400W	1920W	Up to 258Sq Ft
Up to 27M ²	4860W	2700W	2160W	Up to 291Sq Ft
Up to 30M ²	5400W	3000W	2400W	Up to 323Sq Ft

*Standard 2.4 Meter/ 8 Foot Ceiling Height, please contact technical@atcelec.co.uk for any other heights

Available in a wide variety of sizes



All iLifestyle radiators are **581 mm** in height and **98 mm** deep.

Designed with **you** in mind



Easy to: Install, connect, program.



Celebrate silence
Triac controls eliminate mechanical noise



Bespoke heating design service



Your local support team has you covered





MIX
Board from
responsible sources
FSC FSC® C141876



QUALITY APPROVED
COMPANY