

LED Candles

LED 3.9W Opal Candle - ES - 2700K

Part Code: 60511

The most cost-effective way of upgrading inefficient lighting. The foundation of LED Lighting (the SMD Candle, Round & GLS) are lamps that the market has become heavily reliant on over the past 10 years. Our LED Candles are available in both 2.1W & 3.9W, Clear & Opal, with a Warm or Cool White light output.

- Direct replacement for Standard Candle
- Retrofit size
- Opal / Clear with crystal lens for multi-directional light and sparkle







Life Hours



Volts



Colour Rendering Index



Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk



LED Candles



Product Category	Lamps / LED
Application	Multiple Applications
Product Warranty	3 Years
EAN	5013588605111
Commodity Code	8539520000
Country of Origin	CN

Technical Specification		
Watts (W)	3.9	
Equivalent Watts (W)	40	
Volts (V)	240	
Colour Temp (K)	2700	
Lumens (lm)	470	
Lumens per Watt (lm/W)	121	
CRI (ra)	85	
Frequency (Hz)	50/60	
LED Drive Current	41mA	
Energy Consumption (kWh/1000h)	4	
Life Hours	25000	
Switching Cycles	12500	
Energy Rating	E	

Packaging Information		
Height (mm)	100	
Width (mm)	38	
Depth (mm)	38	
Diameter (mm)	39	
Individual Product Weight (kg)	0.022	
Single Carton Height (mm)	104	
Single Carton Width (mm)	38	
Single Carton Depth (mm)	38	
Single Carton Weight (kg)	0.035	
Individual Volume	0.00015	
Inner Box Qty	10	
Inner Carton Barcode	6051100000010	
Inner Box Height (mm)	119	
Inner Box Width (mm)	86	
Inner Box Depth (mm)	205	
Inner Box Weight (kg)	0.40415	
Inner Box Volume	0.0021	
Outer Box Qty	50	
Outer Carton Barcode	605110000050	
Outer Box Height (mm)	134	
Outer Box Width (mm)	215	
Outer Box Depth (mm)	455	
Outer Box Weight (kg)	2.20769	
Outer Box Volume	0.01311	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk



LED Candles

Additional Information		
Beam Angle	85°	
Flicker (SVM)	<0.4	
Power Factor	0.4	
Сар	ES	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380

www.belllighting.co.uk