

LED GLS

LED 6.6W Opal GLS - ES - 2700K

Part Code: 60535

The most cost-effective way of upgrading inefficient lighting. The foundation of LED Lighting (the SMD Candle, Round & GLS) are lamps that the market has become heavily reliant on over the past 10 years. Our LED GLS comes in 4 different wattage options, Clear & Opal with Warm White, Cool White or Daylight output.

- Direct size replacement for Standard GLS
- Suitable for firerated fixtures
- 30000 hours
- Opal finish with warm white or cool white output
- The range offers four different wattage options











85
Colour Rendering Index



240 Volts



Email: technical@belllighting.co.uk **Telephone:** 01924 893380



LED GLS



Product Category	Lamps / LED
Application	LED GLS Lamps
Product Warranty	5 Years
EAN	5013588605357
Commodity Code	8539520000
Country of Origin	CN

Technical Specification		
Watts (W)	6.6	
Equivalent Watts (W)	60	
Volts (V)	240	
Colour Temp (K)	2700	
Lumens (lm)	810	
Lumens per Watt (lm/W)	123	
CRI (ra)	85	
Frequency (Hz)	50/60	
LED Drive Current	25mA	
Energy Consumption (kWh/1000h)	6.6	
Life Hours	30000	
Switching Cycles	15000	
Energy Rating	E	

Packaging Information		
Height (mm)	113	
Diameter (mm)	58	
Individual Product Weight (kg)	0.039	
Single Carton Height (mm)	115	
Single Carton Width (mm)	62	
Single Carton Depth (mm)	62	
Single Carton Weight (kg)	0.058	
Individual Volume	0.00044	
Inner Box Qty	10	
Inner Carton Barcode	6053500000010	
Inner Box Height (mm)	130	
Inner Box Width (mm)	134	
Inner Box Depth (mm)	325	
Inner Box Weight (kg)	0.68364	
Inner Box Volume	0.00566	
Outer Box Qty	50	
Outer Carton Barcode	6053500000050	
Outer Box Height (mm)	145	
Outer Box Width (mm)	335	
Outer Box Depth (mm)	695	
Outer Box Weight (kg)	3.80048	
Outer Box Volume	0.03376	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380



LED GLS

Additional Information		
Beam Angle	180°	
Flicker (SVM)	<0.4	
Power Factor	0.5	
Сар	ES	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380