

110V LED GLS Lamps

LED 6.6W 110V GLS - BC - 2700K

Part Code: 60538

The 110V LED GLS has been specially designed for safety applications. As a direct replacement for standard GLS, this tough, robust GLS is suitable for site lighting, with a colour coded yellow base for easy identification.

- Suitable for site lighting
- Direct replacement for standard GLS
- Suitable for use with low voltage site transformers
- Colour coded yellow base for easy identification
- IP65 when used with suitable lamp holder











25,000



110





Email: technical@belllighting.co.uk **Telephone:** 01924 893380



110V LED GLS Lamps



Product Category	Lamps / LED
Application	LED 110V GLS Lamps
Product Warranty	3 Years
EAN	5013588605388
Commodity Code	8539520000
Country of Origin	CN

Technical Specification		
Watts (W)	6.6	
Equivalent Watts (W)	60	
Volts (V)	110	
Colour Temp (K)	2700	
Lumens (lm)	810	
Lumens per Watt (lm/W)	123	
CRI (ra)	85	
Frequency (Hz)	50/60	
LED Drive Current	46mA	
Energy Consumption (kWh/1000h)	6.6	
Life Hours	25000	
Switching Cycles	12500	
Energy Rating	E	

Packaging Information		
Height (mm)	103	
Width (mm)	57	
Diameter (mm)	57	
Individual Product Weight (kg)	0.039	
Single Carton Height (mm)	115	
Single Carton Width (mm)	62	
Single Carton Depth (mm)	62	
Single Carton Weight (kg)	0.058	
Individual Volume	0.00044	
Inner Box Qty	10	
Inner Carton Barcode	6053800000010	
Inner Box Height (mm)	130	
Inner Box Width (mm)	325	
Inner Box Depth (mm)	134	
Inner Box Weight (kg)	0.68364	
Inner Box Volume	0.00566	
Outer Box Qty	50	
Outer Carton Barcode	6053800000050	
Outer Box Height (mm)	145	
Outer Box Width (mm)	695	
Outer Box Depth (mm)	335	
Outer Box Weight (kg)	3.80048	
Outer Box Volume	0.03376	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380



110V LED GLS Lamps

Additional Information		
Beam Angle	180°	
Flicker (SVM)	<0.4	
Power Factor	0.5	
Сар	BC	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380