

# LED GLS

## LED 13.4W Dimmable Opal GLS - BC - 2700K

### Part Code: 60558

The most cost-effective way of upgrading inefficient lighting. The foundation of LED Lighting (the SMD Candle, Round & GLS) are lamps that the market has become heavily reliant on over the past 10 years. Our LED GLS comes in 4 different wattage options, Clear & Opal with Warm White, Cool White or Daylight output.

- Direct size replacement for Standard GLS
- Suitable for fitterated fixtures
- 30000 hours
- Opal finish with warm white or cool white output
- The range offers four different wattage options



**5 Year**  
Guarantee



**30,000**  
Life Hours



**85**  
Colour Rendering Index



**240**  
Volts



# LED GLS



<b>Product Category</b>	Lamps / LED
<b>Application</b>	LED GLS Lamps
<b>Product Warranty</b>	5 Years
<b>EAN</b>	5013588605586
<b>Commodity Code</b>	8539520000
<b>Country of Origin</b>	CN

## Technical Specification

Watts (W)	13.4
Equivalent Watts (W)	100
Volts (V)	240
Colour Temp (K)	2700
Lumens (lm)	1600
Lumens per Watt (lm/W)	120
CRI (ra)	85
Frequency (Hz)	50/60
LED Drive Current	33mA
Energy Consumption (kWh/1000h)	14
Life Hours	30000
Switching Cycles	15000
Energy Rating	E

## Packaging Information

Height (mm)	130
Width (mm)	60
Diameter (mm)	74
Individual Product Weight (kg)	0.107
Single Carton Height (mm)	122
Single Carton Width (mm)	62
Single Carton Depth (mm)	62
Single Carton Weight (kg)	0.13
Individual Volume	0.00047
Inner Box Qty	10
Inner Carton Barcode	6055800000010
Inner Box Height (mm)	137
Inner Box Width (mm)	134
Inner Box Depth (mm)	325
Inner Box Weight (kg)	1.40616
Inner Box Volume	0.00597
Outer Box Qty	50
Outer Carton Barcode	6055800000050
Outer Box Height (mm)	152
Outer Box Width (mm)	335
Outer Box Depth (mm)	695
Outer Box Weight (kg)	7.41833
Outer Box Volume	0.03539

# LED GLS

Additional Information	
Beam Angle	180°
Flicker (SVM)	<0.4
Power Factor	0.9
Cap	BC