

LED GLS

LED 13.4W Dimmable Opal GLS - ES - 4000K

Part Code: 60561

The most cost-effective way of upgrading inefficient lighting. The foundation of LED Lighting (the SMD Candle, Round & GLS) are lamps that the market has become heavily reliant on over the past 10 years. Our LED GLS comes in 4 different wattage options, Clear & Opal with Warm White, Cool White or Daylight output.

- Direct size replacement for Standard GLS
- Suitable for firerated fixtures
- 30000 hours
- Opal finish with warm white or cool white output
- The range offers four different wattage options







30,000



85
Colour Rendering Index



240 Volts



Email: technical@belllighting.co.uk **Telephone:** 01924 893380



LED GLS



Product Category	Lamps / LED
Application	LED GLS Lamps
Product Warranty	5 Years
EAN	5013588605616
Commodity Code	8539520000
Country of Origin	CN

Technical Specification		
Watts (W)	13.4	
Equivalent Watts (W)	100	
Volts (V)	240	
Colour Temp (K)	4000	
Lumens (lm)	1600	
Lumens per Watt (lm/W)	120	
CRI (ra)	85	
Frequency (Hz)	50/60	
LED Drive Current	33mA	
Energy Consumption (kWh/1000h)	14	
Life Hours	30000	
Switching Cycles	15000	
Energy Rating	E	

Packaging Information		
Height (mm)	130	
Width (mm)	60	
Diameter (mm)	74	
Individual Product Weight (kg)	0.107	
Single Carton Height (mm)	122	
Single Carton Width (mm)	62	
Single Carton Depth (mm)	62	
Single Carton Weight (kg)	0.13	
Individual Volume	0.00047	
Inner Box Qty	10	
Inner Carton Barcode	6056100000010	
Inner Box Height (mm)	137	
Inner Box Width (mm)	134	
Inner Box Depth (mm)	325	
Inner Box Weight (kg)	1.40616	
Inner Box Volume	0.00597	
Outer Box Qty	50	
Outer Carton Barcode	6056100000050	
Outer Box Height (mm)	152	
Outer Box Width (mm)	335	
Outer Box Depth (mm)	695	
Outer Box Weight (kg)	7.41833	
Outer Box Volume	0.03539	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380



LED GLS

Additional Information		
Beam Angle	180°	
Flicker (SVM)	<0.4	
Power Factor	0.9	
Сар	ES	

Email: technical@belllighting.co.uk **Telephone:** 01924 893380