


Technical Specification



Product Code: CMA780 Description: 13A 2 Gang Switched Socket Outlet With Twin USB (Total 4.2A) Outlets





General Information

Plate Dimensions (mm) 146 (W) x 86 (H) x 9.5 (D)

Plate Fixing Centres - Horizontal (mm) 120.6

Style Rounded Profile Finish Polar White

Materials Front Plate & Rocker Switch: Urea

Terminals: Brass

Terminal Screws: Steel & Yellow Passivated
Contacts: Silver "on-lay" Copper / Brass

Internal Busbars: Formed Pressed Brass

USB Charging Total Load (A)

USB Standby Current (mA)

Terminal Torque Value (Nm)

PCB: Mixed Components

Earth Strap: Mild Steel

Frequency (Hz) 50

42

Rear Housing: Nylon

Anti Microbial Certified Yes

Rated Voltage (V~) (Ue) 250

Resistive Load Rating (A) 13

USB Output Type USB Type "A"

USB Number Of Outputs 2 USB Charging Voltage (V DC) 5

Termination Type Screw **Terminal Size (mm)** Ø5

Terminal Capacity - Solid (mm²) 3 x 2.5 or 2 x 4

Single Pole Switched Yes

Single Pole Switched Yes
Twin Earth Terminals Yes

Product Marking USB 5V 2.1A

Minimum Back Box Depth (mm) 25

Ingress Protection IP20

Operational Temperature (°C) -5 to +40

Warranty (Years) 10 Warranty - Electronics (Years) 1

Standards BS 1363-2: 2016 +A1: 2018

BS EN IEC 62368-1 BS EN 62680-1-1

Additional Information

For cleaning / polishing of products, use only a soft, dry, clean cloth.

The USB circuits within this socket outlet are designed to withstand insulation resistance tests at 500V. Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal. All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases as well as anti-viral properties against enveloped and non-enveloped viruses.

All products have been independently tested with 99.9% of enveloped viruses and 92% of non-enveloped viruses killed off whilst achieving a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.



